Certificate No. COA-2026-NB-9826
Issued September 18, 2026
Fingerprint SIG-62FC7A5973DC02FB

CERTIFICATE OF ANALYSIS · COMPOSITION

ARA-290 10mg

ARA-290: 10 mg

Client: **Nuviora Biotech Research Supply Program**

LAB ID **466-AR1002** ISSUED **SEPTEMBER 18, 2026**

01 Sample Information

Sample ID:	**466-AR1002**
Compound:	**ARA-290 10mg**
Report No.:	**COA-2026-NB-9826**
Lot Number:	**AR1002**
Total Mass:	**10.12 mg**
Appearance:	**Lyophilized powder**
Received:	**09/15/2026**
Analyzed:	**09/18/2026**
Components:	**1 peptide**
Total Claim:	**10 mg**
Total Net:	**10.12 mg**



SAMPLE PHOTOGRAPH

02 Analytical Results

Qualitative and Quantitative chemical analysis by High Performance Liquid Chromatography with UV detection (HPLC-UV)

Instrument · Agilent 1260 Infinity II with DAD detector

COMPONENT	NET CONTENT (mg)	CHROM. PURITY (%)	FILL ACC. (%)
ARA-290	10.12	99.20	101.2
TOTAL NET CONTENT	10.12	--	101.2

NUVIORA BIOTECH LIMITED 諾維奧生物科技有限公司

BLEND COMPOSITION share of total net active content

100%

DISCLAIMER - RESEARCH USE ONLY

Results relate only to the sample as received by the testing laboratory, and as when received - not to any other unit, lot, or batch. This report is not a certificate of quality, safety, efficacy, or regulatory compliance. The material tested is not authorized for human or veterinary use. This report shall not exceed the testing fee. Reproduction is permitted only in full.

FOR RESEARCH USE ONLY - NOT AUTHORIZED FOR HUMAN OR VETERINARY USE